



CHANGING THE WAY YOU VIEW WINDOWS & DOORS



CAN A WINDOW OR DOOR REALLY CHANGE YOUR PERSPECTIVE?

"Yes. It may seem a bit far-fetched. But after decades in this business, we've seen it happen, time after time.

"We started working at Quaker with our parents while we were still in high school: building windows, loading trucks, making parts, counting screws. Our parents wanted us to understand the window and door business from the ground up.

"In addition to learning construction and installation details, we also learned a lot from watching them talk to customers. Our parents understood the importance of personal service and were always ready to do a favor for a customer. They made a practice of listening to customers and provided doors and windows that fit the lifestyles of the owners. This type of attention to detail and customized service changed the way many people viewed window and door purchases and created a legacy of life-long customers. We try to manage Quaker the same way.

"Just as our culture has changed significantly since 1940s, so has our product line. It has expanded and evolved to meet new needs. We're in this for the long haul and have re-tooled the entire factory — adding automated production lines, computer equipment and trucks. These changes have cut weeks off our lead time and deliveries, while maintaining the superior level of craftsmanship you can't find anywhere else.

"We believe our commitment to customer service, and world class manufacturing equipment will change the way YOU view window and door purchases. We invite you to see for yourself."

KEN & MIKE KNOLL

OWNERS

QUAKER WINDOWS AND DOORS

Brighton™ Series

For over 60 years, Quaker craftsmen have been creating windows and doors that transcend basic needs of light and ventilation. Our innovative designs and outstanding performance features provide lasting beauty and value in homes throughout the country.

Now, the best of Quaker past and present is reflected in the artistry and performance of the new Brighton™ Series line of wood windows and doors.

A Brilliant Fusion of Old World Craftsmanship and Modern Technology

In a world of automated, assembly-line mass production, it's refreshing to know that one manufacturer still values attention to detail and understands how it influences long-term product performance and beauty.

Brighton™ wood windows and doors are manufactured on-site by an experienced workforce — many with more than 35 years of Quaker service. These skilled craftsmen use the highest quality materials, the best computer technology available and a testing facility to provide complete control over the production process... and build their expertise into every product.

Quality craftsmanship is enhanced with new materials that deliver unparalleled energy efficiency and make it possible to create imaginative and diverse designs that will transform your home from ordinary to extraordinary.



BRIGHTON™ YOUR OUTLOOK

TABLE OF CONTENTS

- 2 The Fundamentals
- 4 Double Hung
- 7 Casement and
Awning Windows
- 8 Geometric Shapes
- 11 Replacement Windows
- 12 Pre-finished Windows
- 15 Sliding Doors
- 16 Swinging Doors
- 18 Window Options
and Features
- 22 Door Options
and Features
- 24 Additional Options
and Features
- 25 Performance Data
- 26 Window and
Door Sizes
- Back Cover
- What's Next





SPECIALTIES OF THE HOUSE

Clearly a cut above the rest, glass in all Brighton™ windows and doors is perfectly cut with an optimizer system to minimize waste. A unique “warm-edge” spacer — heat set in an oven — forms an airtight seal between the panes. The result? Warmer windows that eliminate heat loss and gain, and minimize condensation.

Solid wood frames are specially treated to provide long-term durability.

Tilt latches — a dramatic improvement for wood windows — simplify cleaning. The lightest touch lets you effortlessly tilt windows.

Extruded aluminum-clad exterior is factory-controlled to provide a baked-on finish that is maintenance-free and can be painted any color ...a vast improvement over roll-form cladding or vinyl exteriors.

OPTIMUM ENERGY EFFICIENCY



Designed and tested for energy efficiency, Brighton™ wood windows and doors comply with stringent energy-efficient guidelines established by the government-backed Energy Star® program.

Optional Low-E coating — the latest low-emissive technology — produces high-performance insulated glass to reduce heat loss or heat gain and block UV rays.

A unique jamb-liner system outperforms the industry average to minimize air infiltration without impeding the effortless functioning of the Brighton™.



The energy performance of each Brighton™ window is displayed on the NFRC (National Fenestration Ratings Council) sticker, which allows you to accurately compare the efficiency of similar windows and patio doors.

EXTREME DURABILITY

Brighton™ wood clad windows are periodically tested on-site to ensure their ability to withstand the elements with style. Extreme weather

conditions including rain and wind are simulated in the Quaker facility to ensure every product protects you and your home come rain or shine.



FUNDAMENTALLY SUPERIOR FEATURES

BUILDING GREEN FOR A BETTER TOMORROW

Quaker is very proud to say that we've been offering positive, environmental products for many years. Quaker Window Products' Build Green participation and activities have grown over the years. Our wood windows and doors are prime examples. Glass, aluminum and wood, the primary components of our Brighton™ Series windows & doors, are all considered "green" materials.

But it's not just the product itself, it's also what Quaker is doing behind the scenes that sets us apart.

- Quaker has been an ENERGY STAR™ partner for more than 12 years. Long before other manufacturers were even thinking about Energy Star™, Quaker was producing windows & doors that not only met, but quite often exceeded ENERGY STAR's™ stringent criteria.
- At Quaker, we're continually implementing and installing machinery in our manufacturing plants that lessen our waste of raw materials. Our next upgrade will be in place by the end of 2012. Quaker will have a new in-house paint line which will not only speed up our painting process, it will also use less energy to run.
- Aluminum cladding found on our wood windows and doors has a powder-coat paint finish, thus implementing several "Green" advantages over conventional liquid coatings. One of those advantages is the fact that powder coatings emit zero or near zero volatile organic compounds. Powder-coat production lines also produce less hazardous waste than conventional liquid coatings. And also of great importance is that overspray from powder coating can be recycled and re-used, thus it is possible to achieve nearly 100% use of coating.
- The wood used in our windows and doors is supplied by Woodgrain Millwork, a company renowned for its good forestry management practices.
- Glass in our windows and doors is partially made up of recycled glass. Exterior cladding partially contains recycled aluminum too.
- Recycling is also a big part of day-to-day operations. Our aluminum and glass scrap is regularly sold to recyclers for re-use.

Quaker has been a huge asset for several award-winning projects in that our wood windows and doors have helped these projects achieve LEED accreditation*.

Quaker Window Products is a proud supporter of Habitat for Humanity.



*Quaker Window Products Co., Inc. does not make any guarantee of LEED-accreditation or Level Certification with the use of Quaker products.




Eco School House

Dawn Andres, Peckham & Wright Architects



Highland Stacks Condominiums

The ReDevelopment Group





DOUBLE HUNG

Superior Brighton™ craftsmanship has been taken one step further with the new Brighton™ LS Double Hung. The Brighton™ LS can help you create a home in harmony with your surroundings. Built with solid, treated pine, double hung windows are available in almost any size and can be stained or painted to match your décor.

Equipped with a unique jamb-liner system, Brighton™ LS Double Hung windows dramatically reduce infiltration by wind, heat and cold, without impeding the effortless function of the window.


A block and tackle balance system adjusts to the size of the window. So whether your windows are tall and narrow or short and wide, you can be sure they'll open easily every time and tilt for easy cleaning. Combined with an extruded aluminum-clad exterior, airtight glass and specially treated wood frames, these window workhorses improve your view, inside and out.

Brighton™ LS window locks don't just close the window, they grab tightly to provide a complete seal, even on extremely wide windows. Cam locking hardware exceeds all safety standards.

Brighton's LS aluminum-clad exterior is a Quaker specialty. The baked-on finish is completed at the factory to ensure long-term, low-maintenance durability.

DOUBLE HUNG DESIGN OPTIONS

Whether you need a high-performance window for your rustic mountaintop getaway or an architecturally correct window for a quaint historic neighborhood, there is a Brighton™ wood window engineered specifically for you.



"When we built our home, we looked for windows that would allow us to maintain the architectural integrity of our design and stay within budget. Our builder suggested Quaker as a good alternative to other big brand names. We reviewed Quaker's specs closely and found that Quaker met and exceeded many of their better-known competitors."

DR. AL AND GAIL SCHERYGEN
ST. LOUIS, MISSOURI

COMBINE



BEAUTY AND CONVENIENCE



EXTRAS

- Fiberglass screens are standard.
- Customize your window to fit your décor with one of Quaker's multiple hardware finish options. Available choices include Oil Rubbed Bronze, Antique Brass, Brushed Chrome and several others.

ENERGY STAR

Brighton™ Double Hung


U-Value = .32

Solar Heat Gain = .26

Brighton™ Double Hung (Energy Plus)

U-Value = .28

Solar Heat Gain = .24



THEY WORK AS GOOD AS THEY



EXTRAS

- Hardware that meets safety codes for emergency escapes is available.
- Customize your window to fit your décor with one of Quaker's multiple hardware finish options. Available choices include Oil Rubbed Bronze, Antique Brass, Brushed Chrome and several others.

ENERGY

Brighton™ Casement	
U-Value = .32	Solar Heat Gain = .25
Brighton™ Casement (Energy Plus)	
U-Value = .29	Solar Heat Gain = .23
Brighton™ Awning	
U-Value = .33	Solar Heat Gain = .25
Brighton™ Awning (Energy Plus)	
U-Value = .30	Solar Heat Gain = .24

CASEMENT & AWNING WINDOWS

Brighton™ casement and awning windows offer endless design possibilities. This clean and contemporary look can open up a room to catch a breeze or let in the morning light. Stack them, shape them into bows and bays or combine them with unique geometrical shapes to expand your horizon.



All Brighton™ casement and awning window frames are made of treated pine and have a baked-on, maintenance-free, painted exterior finish. Windows are dual-sealed with bulb weather-stripping to prevent excessive air leakage. When tested, these windows have extremely low air infiltration.

Specially designed crank-out hardware adds strength and integrity to each window and stops air leaks. Sashes open wide for easy cleaning and support arms swing outward for hard to reach areas. For visual and practical purposes, casement and awning hardware neatly folds down into a pocket to avoid interference with window blinds.

Adjustable locking hardware accommodates settling in older homes to maintain a tight seal.

Using a combination of beauty, function and performance our Push Out Casement windows present a new stylish element to the Brighton™ wood clad window family.

CASEMENT & AWNING WINDOW DESIGN OPTIONS



LOOK



"I am almost beyond words at how pleased I am with my decision to go with Quaker. I had some friends over and the first thing they said while standing in my living room was "Wow — did you get new windows? Truly in looks alone the Quaker windows are superior, but the energy savings are phenomenal too. Expecting to see a small reduction in my utility bills — I never once expected to have them cut in half!"

JO ANNE PARKER
LANSING, KANSAS



GEOMETRIC SHAPES

Brighton™ design ingenuity lets you make a small room look spacious with a uniquely shaped accent window. Or add character and dramatic effect with octagons and rounds.




Design a wall of dazzling toppings; transoms; half-rounds and ellipticals. Brighton™ windows are an architect's dream.

Each Brighton™ geometrical wood window receives special care. Windows are crafted in-house and grilles are carefully produced as one connected piece. Many windows are treated with precautionary measures, such as safety glass.

Quaker quality comes in all shapes and sizes. Brighton™ specialty windows are made with treated wood, insulated glass and an exterior painted finish that is maintenance-free.

To assist builders with installation, casings on curved geometrical shapes are standard. Ornate casings and simulated divided lites with custom design grilles are also available.

GEOMETRIC WINDOW DESIGN OPTIONS



"Quaker gives us the goods: good service, good product, good price.

"With Quaker, we buy our windows direct instead of going to a distributor. The service is much more personal, and delivery is faster. They'll build any window we want. Some of the big guys will shy away from that unless you're talking big numbers. But Quaker will treat us the same every time.

"Plus, we really like the windows they build: jamb thickness, cladding, screens and colors. And their prices get us into the marketplace against the big box stores. Their warranty is great, and their windows cost as much as 20 percent less. That's usually my profit."

CHRIS EICHEN, SALES &
KEITH SWANSON, OWNER HOWELL LUMBER
WAMEGO, KANSAS





OPEN A WINDOW OF OPPORTUNITY FOR PERSONAL EXPRESSION

ENERGY	Brighton™ Picture Window to Match Double Hung	U-Value = .31	Solar Heat Gain = .28
	Brighton™ Picture Window to Match Double Hung (Energy Plus)	U-Value = N/A	Solar Heat Gain = N/A
	Brighton™ Direct Set Picture Window	U-Value = .28	Solar Heat Gain = .32
	Brighton™ Direct Set Picture Window (Energy Plus)	U-Value = N/A	Solar Heat Gain = N/A
	Brighton™ Picture Window to Match Casement	U-Value = .29	Solar Heat Gain = .29
	Brighton™ Picture Window to Match Casement (Energy Plus)	U-Value = .25	Solar Heat Gain = .27



ClassicFit
HistoricFit

ENERGY	Classic Fit® Double Hung	
	U-Value = .33	Solar Heat Gain = .25
	Classic Fit® Double Hung (Energy Plus)	
	U-Value = .28	Solar Heat Gain = .24

REPLACEMENT WINDOWS

If you're remodeling, you can preserve the character of your home with Classic Fit® wood windows that duplicate the charm of your original windows and improve energy efficiency and performance.

Classic Fit® replacement windows are manufactured as a complete window, sealed and airtight, which makes them look and perform better than any window replacement kit.

Historic Fit® replacement windows are also manufactured for superior style and performance and will easily complement your special restoration projects. They are National Park Service approved and may be used for residential or commercial historical replication projects.

Classic Fit® custom-sized replacements are easily inserted into your existing frame opening and can be stained or painted to match your existing design. With nothing to assemble and 1/4" increments for custom sizing, they install quickly and easily with little or no disturbance to the interior or exterior of your home.

The painted exterior is aluminum clad, and maintenance-free. Classic Fit® and Historic Fit® insulated glass and solid wood frames are energy efficient and durable. Easy open tilt latches make for easy cleaning.

TAKE YOUR HOME FROM SPEC TO SPECTACULAR





PRE-FINISHED WINDOWS

Quaker Brighton™ series pre-finished windows feature a beautiful interior façade without post-installation labor and expense.

Unique two-tone grids allow you to match both the interior and exterior colors

No matter the size or style, all Brighton™ windows can be ordered with the pre-finished interior. That includes operating and fixed windows. Patio doors, too.



Until recently, Quaker's pre-finished interior option was available only in white. While white is still our most popular color, Quaker now proudly offers custom color choices for pre-finished windows. Ask your dealer for more information.

If painted white, Brighton™ pre-finished windows are made standard with white hardware. Hardware to match custom pre-finished colors is not available.

If you intend to do your own pre-finish painting, ask about our window priming option.

3/4 inch insulated glass is sealed with Duralite® insulant to maximize the energy-efficiency of every Brighton™ window.





IMPROVE YOUR VIEW,
INSIDE AND OUT





EXPAND YOUR HORIZONS

ENERGY STAR	With Low-E and Argon		
	<i>Pro Performance Patio Door</i>	U-Value = .30*	Solar Heat Gain Coefficient (SHGC) = .17*
	With Low-E		
	<i>Brighton™ Sliding Patio Door</i>	U-Value = .34*	Solar Heat Gain Coefficient (SHGC) = .30*
	<i>Brighton™ Hinged Patio Door</i>	U-Value = .33*	Solar Heat Gain Coefficient (SHGC) = .26*
*Performance values may vary slightly with addition of optional grids			

EXTRAS

- An adjustable sliding screen door is available.
- Save time with Quaker's Pre-finish interior option.
- For homes with more than 1 patio door, hardware can be keyed alike.

SLIDING DOORS

Quaker's sliding wood patio door, the Brighton™ Series, can be an essential design element welcoming guests and filling your home with light.

Brighton™ Series sliding patio doors help control heating and cooling. All sizes arrive at your home, complete with Energy Star® performance, courtesy of standard Low-E glass and argon gas. Tempered, insulated glass carries a 10-year warranty. Door panels, crafted from specially treated wood, stay airtight, straight and true. A tandem (or double) wheel promotes smoother rolling action, supports door panels and provides a longer life because tracks don't wear out. They're also adjustable so you can raise them.


Brighton™ sliding wood patio doors are designed with a heavy-duty, high performance fiberglass sill that allows them to glide easily. Plus, the sill won't warp, bend or rot from exposure to harsh weather.

The exterior is extruded aluminum, which is superior to roll-form aluminum cladding or vinyl cladding.

Specify which way you want your door to operate...right panel active or left panel active. Choose from tall, taller or tallest doors — 6 feet 8 inches, 6 feet 11 inches, or 8 feet high. Then wide, wider, and widest — 5 feet, 6 feet, or 8 feet high. Add sidelites to blur the line between indoor and outdoor rooms.

The Brighton's single-point latch has a gold finish. Several grille styles, including framed wood grilles and dust-free internal muntins, enable you to get the exact look you want to match your décor.

SLIDING DOOR — WOOD PATIO DOOR COLLECTION



NEW Folding Patio Doors

INTRODUCING

Make your space work to your advantage with new folding patio doors. Folding patio doors are multi-faceted; they customize your patio, pull the outdoors in and expand your living space. Two- and three-panel folding doors are available in many sizes, and are easily adjustable to ensure effortless sliding/folding operation.





SWINGING DOORS

Quaker's swinging wood patio doors let you create entirely new rooms that expand your living space. Choose from the Brighton™ Premium Door Series or Pro Performance Door Series designs to compliment your existing façade. Add a geometrical shaped window above or beside an elegant single swing or true French door to create a solarium or fabulous great room.

THE BRIGHTON™ SERIES IN-SWING

The Brighton™ Series makes an exceptional presentation. It is Quaker's premium swinging wood patio door. 8 1/8 inch bottom rails are part of the Brighton's rich, wood appearance.

Safety is no issue with the Brighton's standard multi-point locking hardware. The multi-point system locks simultaneously at the top, middle and bottom of the panel for added security and improved performance during extreme weather conditions. Three adjustable hinges make sure each Brighton™ patio door operates true for years upon years.

Extruded aluminum anodized sill can withstand lots of in-and-out activity.

Hinged screen systems are standard for the Brighton™ door, even on 1-panel doors. Screens contain BetterVue™ screen mesh for an almost unimpeded view.

PRO PERFORMANCE SERIES

The Pro Performance Series is an economical alternative that has plenty of visual and practical appeal. Pro Performance doors give you a sharp appearance and a broader viewing area with their sleek wood sightlines. Lever hardware and deadbolt locking system with a gold finish are standard, while four butt-hinges offer added support.

THE BRIGHTON™ SERIES OUT-SWING

The Brighton™ Series also is available as an out-swing door manufactured with exceptional quality and care for residential homes. The unique out-swing operation allows for numerous design possibilities not available with an in-swing door. Out-swing doors are available as either a single-panel or True French model

THE MIDTOWN SERIES

The Midtown Series out-swing door is very flexible. With its sturdy build and ADA compliant sill, it can easily be used in mid-range commercial projects as well as residential homes.

OPEN YOUR HOME TO A WORLD OF POSSIBILITIES

THE MESA SERIES

To increase air flow and ventilation into the room, Quaker offers Mesa Series operable sidelites. Exceptionally crafted and stylish, they give any entryway a fresh update and let in extra natural light.

FEATURES FOR ALL DOORS

Make your swinging patio door really stand out with optional grilles. Add Internal (a.k.a. between-the-glass), Applied (a.k.a. simulated divided) or Wood Removable (a.k.a. surround) grilles in any number of standard or custom designs.

Quaker wood patio doors protect you from the elements. High performance tempered Low-E glass with an argon gas fill is a standard feature of all swinging wood patio doors. Tempered, insulated glass carries a 10-year warranty against seal failure.

Extruded aluminum on the door exterior provides strength and beauty that outlasts roll-form aluminum cladding or vinyl cladding. Quaker's patio door exterior cladding is warranted for 10 years against paint fading, peeling or flaking.

Both series can be hinged any way you like: as a true French door with both sides swinging, or as a 2-panel door with one panel permanently fixed. Single-panel doors are also available. For an expansive look, add sidelites.

Quaker's swinging patio doors are available in 6 feet 8 inches and 6 feet 11 inch tall sizes. The Brighton™ Series and Oceanside Series even have eight-foot tall doors, making them ideal for rooms with ceilings above 9 feet and absolutely perfect for transforming doorways into breathtaking grand entries.

Add that special touch with one of Quaker's optional hardware finishes, which include satin nickel, antique brass, oil rubbed bronze and others.

SWINGING DOORS — WOOD PATIO DOOR COLLECTION



EXTRAS

- An adjustable sliding screen door is available.
- Save time with Quaker's Pre-finish interior option.
- For homes with more than 1 patio door, hardware can be keyed alike.

OPTIONS AND FEATURES WINDOWS



“Last year, we built a Frank Lloyd Wright house that had a very complex grid pattern. A couple of narrow windows had this grid work. Quaker looked at the design and told us they didn’t think it would look right and gave us another option.

“Every Quaker guy I’ve ever met is so knowledgeable; they go out of their way to make sure we get it right. Of course, we went with their suggestion.

“In truth, many builders try to design around custom windows, because if it’s not in stock, you can pay a fortune for it. But Quaker’s cost is so inexpensive, I’m not worried. Their aluminum-clad exterior is also a great value. It’s always going to look good, it saves me time and my painter gives me a credit.”

GREG MINK
MINKCO HOMES
INDIANAPOLIS, INDIANA

INTERIOR WOOD SPECIES FOR ALL WINDOWS

Radiatta Pine
(standard)



Knotty Alder
(optional interior species)



GLASS FOR ALL WINDOWS

Clear (standard)

Low-E Low Emissivity Glass (optional)

Low-E glass with argon gas (optional)

ADDITIONAL GLASS OPTIONS

Tempered (Safety) Glass

Obscure (Privacy) Glass

Energy Plus by Quaker Glazing Package

Triple Silver Low-E

ClimaGuard SPF for high UV Protection

Multiple tints such as Grey,
Bronze, Green and Blue



CURVED INTERIOR CASINGS
FOR ARCHED GEOMETRICS

#356 2 1/4" Pine

#444 3 1/4" Pine

Custom Casing (optional)

ROSETTES FOR ALL WINDOWS

2 1/4" Pine

3 1/2" Pine

Custom Rosettes (optional)



BRIGHTON™ SERIES DOUBLE HUNG



Brighton™ Series Double Hung Cross Section



ADDITIONAL OPTIONS

No finger ploughs on top & bottom sash. *Optional lift assist hardware (shown).*



Ogee Block
Add Ogee blocks to exterior for a truer historic look and feel.



Jamb Liner Cover
Eliminates jamb liner lip exposure when screen is removed.



CASEMENT/AWNING



Brighton™ Casement/Awning Cross Section



ADDITIONAL OPTIONS

Fold-Over Handles (standard)

Egress Hardware (fire escape)


Turn Knob Handle

Pole Operator with Hook

OPTIONS AND FEATURES WINDOWS

MULL OPTIONS

- C-Mull
- 2" spacer mull
- 4" spacer mull
- Special Classic Fit mull
- Patio Door mull



FLANGE OPTIONS

- Flat exterior panning
- Molded exterior panning
- Curved exterior panning
- Classic Fit trim kit

SCREENS

Quaker's Brighton™ screens have no peer. Start with BetterVue™ mesh which affords excellent visibility, superior insect protection and excellent airflow. Team that with a heavy-duty extruded aluminum framing, and you'll quickly see why there's no other screen like it on the market today.



BRICKMOLDS & SILL NOSES


- 2 7/8" Exterior Brickmold
- 1 5/8" Exterior Brickmold



Sill Nose (standard)



Sill Nose (wide)



ADDITIONAL OPTIONS

Pre-finished Interior
(White shown. Custom colors available.)



Primed Interior





OPTIONS AND FEATURES DOORS

BRIGHTON™ SERIES SWINGING WOOD PATIO DOORS

MULTI-POINT HARDWARE CHOICES



Hoppe™ New Orleans Series handle set.



Hoppe™ Munchen Series handle set.

AVAILABLE HOPPE™ FINISHES

Polished Gold Finish *(not shown)*



Antique Brass Finish



Antique Nickel Finish



Satin Nickel Finish



Polished Brass Finish



Oil Rubbed Brass Finish



Polished Chrome Finish



Brushed Chrome Finish



Rustic Umber Finish



Matte Black Finish



Pure White Finish

PANEL OPTIONS

Wood Panel 1/4 Height
(1 or 2 plants, raised or flat design)

Wood Panel 1/2 Height
(1 or 2 plants, raised or flat design)

ADDITIONAL HARDWARE OPTIONS

Keyed Alike Hardware

Handicap Ramps

Lever handle with deadbolt. Available in the following finishes: Gold, White, Polished Brass, Antique Brass, Brushed Chrome, Oil Rubbed Bronze, Satin Nickel.



BRIGHTON™ SERIES SLIDING WOOD PATIO DOOR

HARDWARE CHOICES

Truth™ Signature Series handle set with flip lock.

Truth™ Signature Series handle set with keyed lock.



AVAILABLE PLATE FINISHES

- | | |
|-------------------|----------------|
| Oil Rubbed Bronze | Brushed Chrome |
| Antique Brass | Bright Chrome |
| Brushed Nickel | Bright Brass |
| Brushed Brass | Antique Chrome |

AVAILABLE COLOR FINISHES

- | | |
|-----------|--|
| Gold | Bronze |
| White | Chestnut Bronze |
| Black | Many others color choices are available. |
| Sandstone | |



PRO PERFORMANCE SERIES SWINGING WOOD PATIO DOOR

HARDWARE CHOICES

Gold Finish Lever & Deadbolt
(*standard*)

White Finish Lever & Deadbolt
(*optional*)

Polished Brass Finish Lever
& Deadbolt (*optional*)



Antique Brass Finish Lever
& Deadbolt (*optional*)



Brushed/Dull Chrome Finish
Lever & Deadbolt (*optional*)



Oil Rubbed Bronze Finish Lever
& Deadbolt (*optional*)



Satin Nickel Finish Lever
& Deadbolt (*optional*)



ADDITIONAL HARDWARE OPTIONS

Keyed Alike Hardware

Handicap Ramps



GLASS FOR ALL PATIO DOORS

Clear

Low-E Low Emissivity Glass

Low-E glass with argon gas

Tempered (*Safety*) Glass

Obscure (*Privacy*) Glass

Energy Plus by Quaker Glazing Package

Triple Silver Low-E

ClimaGuard SPF for high UV Protection

*Multiple tints such as Grey,
Bronze, Green and Blue.*

ADDITIONAL OPTIONS FOR ALL PATIO DOORS

Brickmold

Pre-finished Interior




ADDITIONAL OPTIONS AND FEATURES


WOOD WINDOW & DOOR OPTIONAL MUNTIN CHOICES




1 1/4" SDL Contoured with Wood Interior and Internal Shadow Bar



1 1/4" SDL Contoured Wood




1 1/4" Wood Removable



3/4" Wood Removable



3/4" Contoured Interior Single Color or 2-tone



7/8" SDL Contoured with Wood Interior and Internal Shadow Bar




7/8" SDL Contoured Wood



Internal Muntin (a.k.a. Grid Between Glass) Single Color or 2-tone



2" SDL Contoured Wood





SDL Pyramid Bar with Wood Interior and Internal Shadow Bar

GRILLE OPTIONS

Internal Flat and Dust-free Contoured Muntins

Removable Wood Muntins
Simulated Divided Lites



EXTERIOR COLOR OPTIONS

Colors represented here may vary from actual product. Contact your local dealer for actual color swatch.




White (standard)



Toffee (standard)



Redwood (standard)



Black (optional)



Dark Bronze (standard)



Holly Green (standard)



Earthtone (standard)



Satin Creme (optional)



Sandstone (standard)



Beige (standard)



Chestnut (optional)



Custom colors are available

P E R F O R M A N C E D A T A *



	THERMAL TESTING INFORMATION <i>(all values achieved with Low-E and Argon unless otherwise noted)**</i>			STRUCTURAL TESTING INFORMATION			
	U-Value	R-Value	Solar Heat Gain Coefficient	Test Rating	Water Resistance (PSF)	Air Infiltration Rating (25mph)	Structural Load (PSF)
<i>Brighton™ Double Hung Series</i>	.32	3.13	.26	DP-50	7.5	0.13 cfm/ft ²	75
<i>Brighton™ Casement Series</i>	.32	3.13	.25	DP-60	9.0	0.05 cfm/ft ²	90
<i>Brighton™ Sliding Wood Patio Door Series</i>	.31	3.23	.23	DP-40 (DP-50 upgrade available on some sizes)***	(testing not completed at time of print)	(testing not completed at time of print)	(testing not completed at time of print)
<i>Brighton™ In-Swing Wood Patio Door Series</i>	.32	3.13	.12	DP-50***	(testing not completed at time of print)	(testing not completed at time of print)	(testing not completed at time of print)
<i>Pro Performance Swinging Wood Patio Door Series</i>	.33	3.03	.26	DP-25/ DP-30	3.75/4.60	0.08/0.13	37.5/45.1

*Testing data is subject to change without notice. For a complete report on a specific unit, contact your local dealer.

**Energy Star™ criteria varies based on geography. In some cases, alternate glazing packages from Quaker such as dual Low-E are necessary to assure Energy Star™ status. Go to [Energystar.gov](http://energystar.gov) for the exact Energy Star criteria in your area.

***DP-50 upgrade not available on all sizes. Larger sizes (9' tall, 10' wide, 12' wide, 16' wide) may carry lesser DP-ratings.

Quaker Window Products Company, Inc. reserves the right to make and/or implement design changes at any time.



WINDOW AND DOOR SIZES



BRIGHTON™ DOUBLE HUNG

Unit #	Actual Size	Rough Opening
2026	24" x 30"	24 3/4" x 30 1/2"
2030	24" x 36"	24 3/4" x 36 1/2"
2036	24" x 42"	24 3/4" x 42 1/2"
2040	24" x 48"	24 3/4" x 48 1/2"
2046	24" x 54"	24 3/4" x 54 1/2"
2050	24" x 60"	24 3/4" x 60 1/2"
2056	24" x 66"	24 3/4" x 66 1/2"
2060	24" x 72"	24 3/4" x 72 1/2"
2066	24" x 78"	24 3/4" x 78 1/2"
2070	24" x 84"	24 3/4" x 84 1/2"
2076*	24" x 90"	24 3/4" x 90 1/2"
2426	28" x 30"	28 3/4" x 30 1/2"
2430	28" x 36"	28 3/4" x 36 1/2"
2436	28" x 42"	28 3/4" x 42 1/2"
2440	28" x 48"	28 3/4" x 48 1/2"
2446	28" x 54"	28 3/4" x 54 1/2"
2450	28" x 60"	28 3/4" x 60 1/2"
2456	28" x 66"	28 3/4" x 66 1/2"
2460	28" x 72"	28 3/4" x 72 1/2"
2466▲	28" x 78"	28 3/4" x 78 1/2"
2470▲	28" x 84"	28 3/4" x 84 1/2"
2476*	28" x 90"	28 3/4" x 90 1/2"
2826	32" x 30"	32 3/4" x 30 1/2"
2830	32" x 36"	32 3/4" x 36 1/2"
2836	32" x 42"	32 3/4" x 42 1/2"
2840	32" x 48"	32 3/4" x 48 1/2"
2846	32" x 54"	32 3/4" x 54 1/2"
2850	32" x 60"	32 3/4" x 60 1/2"
2856	32" x 66"	32 3/4" x 66 1/2"

▲ Meets egress minimum opening of 5.7 sq. ft., 20" minimum width and 24" minimum height.

*Manufactured as a single hung style. Top sash is inoperable.



BRIGHTON™ DOUBLE HUNG PICTURE WINDOW

Unit #	Actual Size	Rough Opening
1610	18" x 12"	18 3/4" x 12 1/2"
1612	18" x 14"	18 3/4" x 14 1/2"
1614	18" x 16"	18 3/4" x 16 1/2"
1616	18" x 18"	18 3/4" x 18 1/2"
1620	18" x 24"	18 3/4" x 24 1/2"
1626	18" x 30"	18 3/4" x 30 1/2"
1630	18" x 36"	18 3/4" x 36 1/2"
1636	18" x 42"	18 3/4" x 42 1/2"
1640	18" x 48"	18 3/4" x 48 1/2"
1646	18" x 54"	18 3/4" x 54 1/2"
1650	18" x 60"	18 3/4" x 60 1/2"
1656	18" x 66"	18 3/4" x 66 1/2"
1660	18" x 72"	18 3/4" x 72 1/2"
1666	18" x 78"	18 3/4" x 78 1/2"
1670	18" x 84"	18 3/4" x 84 1/2"
1676	18" x 90"	18 3/4" x 90 1/2"
2010	24" x 12"	24 3/4" x 12 1/2"
2012	24" x 14"	24 3/4" x 14 1/2"
2014	24" x 16"	24 3/4" x 16 1/2"
2016	24" x 18"	24 3/4" x 18 1/2"
2020	24" x 24"	24 3/4" x 24 1/2"
2026	24" x 30"	24 3/4" x 30 1/2"
2030	24" x 36"	24 3/4" x 36 1/2"
2036	24" x 42"	24 3/4" x 42 1/2"
2040	24" x 48"	24 3/4" x 48 1/2"
2046	24" x 54"	24 3/4" x 54 1/2"
2050	24" x 60"	24 3/4" x 60 1/2"
2056	24" x 66"	24 3/4" x 66 1/2"
2060	24" x 72"	24 3/4" x 72 1/2"
2066	24" x 78"	24 3/4" x 78 1/2"
2070	24" x 84"	24 3/4" x 84 1/2"
2076	24" x 90"	24 3/4" x 90 1/2"
2410	28" x 12"	28 3/4" x 12 1/2"
2412	28" x 14"	28 3/4" x 14 1/2"
2414	28" x 16"	28 3/4" x 16 1/2"
2416	28" x 18"	28 3/4" x 18 1/2"
2420	28" x 24"	28 3/4" x 24 1/2"
2426	28" x 30"	28 3/4" x 30 1/2"
2430	28" x 36"	28 3/4" x 36 1/2"
2436	28" x 42"	28 3/4" x 42 1/2"
2440	28" x 48"	28 3/4" x 48 1/2"
2446	28" x 54"	28 3/4" x 54 1/2"
2450	28" x 60"	28 3/4" x 60 1/2"
2456	28" x 66"	28 3/4" x 66 1/2"
2460	28" x 72"	28 3/4" x 72 1/2"



Unit #	Actual Size	Rough Opening
2466	28" x 78"	28 3/4" x 78 1/2"
2470	28" x 84"	28 3/4" x 84 1/2"
2476	28" x 90"	28 3/4" x 90 1/2"
2610	30" x 12"	30 3/4" x 12 1/2"
2612	30" x 14"	30 3/4" x 14 1/2"
2614	30" x 16"	30 3/4" x 16 1/2"
2616	30" x 18"	30 3/4" x 18 1/2"
2620	30" x 24"	30 3/4" x 24 1/2"
2626	30" x 30"	30 3/4" x 30 1/2"
2630	30" x 36"	30 3/4" x 36 1/2"
2636	30" x 42"	30 3/4" x 42 1/2"
2640	30" x 48"	30 3/4" x 48 1/2"
2646	30" x 54"	30 3/4" x 54 1/2"
2650	30" x 60"	30 3/4" x 60 1/2"
2656	30" x 66"	30 3/4" x 66 1/2"
2660	30" x 72"	30 3/4" x 72 1/2"
2666	30" x 78"	30 3/4" x 78 1/2"
2670	30" x 84"	30 3/4" x 84 1/2"
2676	30" x 90"	30 3/4" x 90 1/2"
2810	32" x 12"	32 3/4" x 12 1/2"
2812	32" x 14"	32 3/4" x 14 1/2"
2814	32" x 16"	32 3/4" x 16 1/2"
2816	32" x 18"	32 3/4" x 18 1/2"
2820	32" x 24"	32 3/4" x 24 1/2"
2826	32" x 30"	32 3/4" x 30 1/2"
2830	32" x 36"	32 3/4" x 36 1/2"
2836	32" x 42"	32 3/4" x 42 1/2"
2840	32" x 48"	32 3/4" x 48 1/2"
2846	32" x 54"	32 3/4" x 54 1/2"
2850	32" x 60"	32 3/4" x 60 1/2"
2856	32" x 66"	32 3/4" x 66 1/2"
2860	32" x 72"	32 3/4" x 72 1/2"
2866	32" x 78"	32 3/4" x 78 1/2"
2870	32" x 84"	32 3/4" x 84 1/2"
2876	32" x 90"	32 3/4" x 90 1/2"
3010	36" x 12"	36 3/4" x 12 1/2"
3012	36" x 14"	36 3/4" x 14 1/2"
3014	36" x 16"	36 3/4" x 16 1/2"
3016	36" x 18"	36 3/4" x 18 1/2"
3020	36" x 24"	36 3/4" x 24 1/2"
3026	36" x 30"	36 3/4" x 30 1/2"
3030	36" x 36"	36 3/4" x 36 1/2"
3036	36" x 42"	36 3/4" x 42 1/2"
3040	36" x 48"	36 3/4" x 48 1/2"
3046	36" x 54"	36 3/4" x 54 1/2"

Unit #	Actual Size	Rough Opening
3050	36" x 60"	36 3/4" x 60 1/2"
3056	36" x 66"	36 3/4" x 66 1/2"
3060	36" x 72"	36 3/4" x 72 1/2"
3066	36" x 78"	36 3/4" x 78 1/2"
3070	36" x 84"	36 3/4" x 84 1/2"
3076	36" x 90"	36 3/4" x 90 1/2"
3410	40" x 12"	40 3/4" x 12 1/2"
3412	40" x 14"	40 3/4" x 14 1/2"
3414	40" x 16"	40 3/4" x 16 1/2"
3416	40" x 18"	40 3/4" x 18 1/2"
3420	40" x 24"	40 3/4" x 24 1/2"
3426	40" x 30"	40 3/4" x 30 1/2"
3430	40" x 36"	40 3/4" x 36 1/2"
3436	40" x 42"	40 3/4" x 42 1/2"
3440	40" x 48"	40 3/4" x 48 1/2"
3446	40" x 54"	40 3/4" x 54 1/2"
3450	40" x 60"	40 3/4" x 60 1/2"
3456	40" x 66"	40 3/4" x 66 1/2"
3460	40" x 72"	40 3/4" x 72 1/2"
3466	40" x 78"	40 3/4" x 78 1/2"
3610	42" x 12"	42 3/4" x 12 1/2"
3612	42" x 14"	42 3/4" x 14 1/2"
3614	42" x 16"	42 3/4" x 16 1/2"
3616	42" x 18"	42 3/4" x 18 1/2"
3620	42" x 24"	42 3/4" x 24 1/2"
3626	42" x 30"	42 3/4" x 30 1/2"
3630	42" x 36"	42 3/4" x 36 1/2"
3636	42" x 42"	42 3/4" x 42 1/2"
3640	42" x 48"	42 3/4" x 48 1/2"
3646	42" x 54"	42 3/4" x 54 1/2"
3650	42" x 60"	42 3/4" x 60 1/2"
3656	42" x 66"	42 3/4" x 66 1/2"
3660	42" x 72"	42 3/4" x 72 1/2"
3666	42" x 78"	42 3/4" x 78 1/2"
3810	44" x 12"	44 3/4" x 12 1/2"
3812	44" x 14"	44 3/4" x 14 1/2"
3814	44" x 16"	44 3/4" x 16 1/2"
3816	44" x 18"	44 3/4" x 18 1/2"
3820	44" x 24"	44 3/4" x 24 1/2"
3826	44" x 30"	44 3/4" x 30 1/2"
3830	44" x 36"	44 3/4" x 36 1/2"
3836	44" x 42"	44 3/4" x 42 1/2"
3840	44" x 48"	44 3/4" x 48 1/2"
3846	44" x 54"	44 3/4" x 54 1/2"
3850	44" x 60"	44 3/4" x 60 1/2"

Unit #	Actual Size	Rough Opening
3856	44" x 66"	44 3/4" x 66 1/2"
3860	44" x 72"	44 3/4" x 72 1/2"
3866	44" x 78"	44 3/4" x 78 1/2"
4010	48" x 12"	48 3/4" x 12 1/2"
4012	48" x 14"	48 3/4" x 14 1/2"
4014	48" x 16"	48 3/4" x 16 1/2"
4016	48" x 18"	48 3/4" x 18 1/2"
4020	48" x 24"	48 3/4" x 24 1/2"
4026	48" x 30"	48 3/4" x 30 1/2"
4030	48" x 36"	48 3/4" x 36 1/2"
4036	48" x 42"	48 3/4" x 42 1/2"
4040	48" x 48"	48 3/4" x 48 1/2"
4046	48" x 54"	48 3/4" x 54 1/2"
4050	48" x 60"	48 3/4" x 60 1/2"
4056	48" x 66"	48 3/4" x 66 1/2"
4060	48" x 72"	48 3/4" x 72 1/2"
4066	48" x 78"	48 3/4" x 78 1/2"
5010	60" x 12"	60 3/4" x 12 1/2"
5012	60" x 14"	60 3/4" x 14 1/2"
5014	60" x 16"	60 3/4" x 16 1/2"
5016	60" x 18"	60 3/4" x 18 1/2"
5020	60" x 24"	60 3/4" x 24 1/2"
5026	60" x 30"	60 3/4" x 30 1/2"
5030	60" x 36"	60 3/4" x 36 1/2"
5036	60" x 42"	60 3/4" x 42 1/2"
5040	60" x 48"	60 3/4" x 48 1/2"
5046	60" x 54"	60 3/4" x 54 1/2"
5050	60" x 60"	60 3/4" x 60 1/2"
5056	60" x 66"	60 3/4" x 66 1/2"
5060	60" x 72"	60 3/4" x 72 1/2"
5066	60" x 78"	60 3/4" x 78 1/2"
6010	72" x 12"	72 3/4" x 12 1/2"
6012	72" x 14"	72 3/4" x 14 1/2"
6014	72" x 16"	72 3/4" x 16 1/2"
6016	72" x 18"	72 3/4" x 18 1/2"
6020	72" x 24"	72 3/4" x 24 1/2"
6026	72" x 30"	72 3/4" x 30 1/2"
6030	72" x 36"	72 3/4" x 36 1/2"
6036	72" x 42"	72 3/4" x 42 1/2"
6040	72" x 48"	72 3/4" x 48 1/2"
6046	72" x 54"	72 3/4" x 54 1/2"
6050	72" x 60"	72 3/4" x 60 1/2"
6056	72" x 66"	72 3/4" x 66 1/2"
6060	72" x 72"	72 3/4" x 72 1/2"
6066	72" x 78"	72 3/4" x 78 1/2"

WINDOW AND DOOR SIZES



BRIGHTON™ DOUBLE HUNG BAY UNITS

Unit #	Actual Size	Rough Opening	Projection
30 Degree Bay Units			
30-3040-20	83 3/4" x 51 1/4"	84 1/4" x 51 1/2"	12 3/4"
30-3046-20	83 3/4" x 57 1/4"	84 1/4" x 57 1/2"	12 3/4"
30-3050-20	83 3/4" x 63 1/4"	84 1/4" x 63 1/2"	12 3/4"
30-PW3040-20	83 3/4" x 51 1/4"	84 1/4" x 51 1/2"	12 3/4"
30-PW3046-20	83 3/4" x 57 1/4"	84 1/4" x 57 1/2"	12 3/4"
30-PW3050-20	83 3/4" x 63 1/4"	84 1/4" x 63 1/2"	12 3/4"
30-PW4040-20	96 3/4" x 51 1/4"	96 1/4" x 51 1/2"	12 3/4"
30-PW4046-20	96 3/4" x 57 1/4"	96 1/4" x 57 1/2"	12 3/4"
30-PW4050-20	96 3/4" x 63 1/4"	96 1/4" x 63 1/2"	12 3/4"
30-PW5040-20	107 3/4" x 51 1/4"	108 1/4" x 51 1/2"	12 3/4"
30-PW5046-20	107 3/4" x 57 1/4"	108 1/4" x 57 1/2"	12 3/4"
30-PW5050-20	107 3/4" x 63 1/4"	108 1/4" x 63 1/2"	12 3/4"

45 Degree Bay Units

45-3040-20	78 5/8" x 51 1/4"	79 1/8" x 51 1/2"	18 3/4"
45-3046-20	78 5/8" x 57 1/4"	79 1/8" x 57 1/2"	18 3/4"
45-3050-20	78 5/8" x 63 1/4"	79 1/8" x 63 1/2"	18 3/4"
45-PW3040-20	78 5/8" x 51 1/4"	79 1/8" x 51 1/2"	18 3/4"
45-PW3046-20	78 5/8" x 57 1/4"	79 1/8" x 57 1/2"	18 3/4"
45-PW3050-20	78 5/8" x 63 1/4"	79 1/8" x 63 1/2"	18 3/4"
45-PW4040-20	90 5/8" x 51 1/4"	91 1/8" x 51 1/2"	18 3/4"
45-PW4046-20	90 5/8" x 57 1/4"	91 1/8" x 57 1/2"	18 3/4"
45-PW4050-20	90 5/8" x 63 1/4"	91 1/8" x 63 1/2"	18 3/4"
45-PW5040-20	102 5/8" x 51 1/4"	103 1/8" x 51 1/2"	18 3/4"
45-PW5046-20	102 5/8" x 57 1/4"	103 1/8" x 57 1/2"	18 3/4"
45-PW5050-20	102 5/8" x 63 1/4"	103 1/8" x 63 1/2"	18 3/4"



BRIGHTON™ DOUBLE HUNG ARCH HEADS

Unit #	Actual Size*	Rough Opening	Projection
2426	28" x 30"	28" x 3 3/4"	28 3/4" x 34 1/4"
2430	28" x 36"	28" x 3 3/4"	28 3/4" x 40 1/4"
2436	28" x 42"	28" x 3 3/4"	28 3/4" x 46 1/4"
2440	28" x 48"	28" x 3 3/4"	28 3/4" x 52 1/4"
2446	28" x 54"	28" x 3 3/4"	28 3/4" x 60 1/4"
2450	28" x 60"	28" x 3 3/4"	28 3/4" x 64 1/4"
2456	28" x 66"	28" x 3 3/4"	28 3/4" x 70 1/4"
2460	28" x 72"	28" x 3 3/4"	28 3/4" x 76 1/4"
2466	28" x 78"	28" x 3 3/4"	28 3/4" x 82 1/4"
2826	32" x 30"	32" x 4 1/4"	32 3/4" x 34 3/4"
2830	32" x 36"	32" x 4 1/4"	32 3/4" x 40 3/4"
2836	32" x 42"	32" x 4 1/4"	32 3/4" x 46 3/4"
2840	32" x 48"	32" x 4 1/4"	32 3/4" x 52 3/4"
2846	32" x 54"	32" x 4 1/4"	32 3/4" x 58 3/4"
2850	32" x 60"	32" x 4 1/4"	32 3/4" x 64 3/4"
2856	32" x 66"	32" x 4 1/4"	32 3/4" x 70 3/4"
2860	32" x 72"	32" x 4 1/4"	32 3/4" x 76 3/4"
2866	32" x 78"	32" x 4 1/4"	32 3/4" x 82 3/4"
3026	36" x 30"	36" x 4 13/16"	36 3/4" x 34 3/8"
3030	36" x 36"	36" x 4 13/16"	36 3/4" x 41 3/8"
3036	36" x 42"	36" x 4 13/16"	36 3/4" x 47 3/8"
3040	36" x 48"	36" x 4 13/16"	36 3/4" x 53 3/8"
3046	36" x 54"	36" x 4 13/16"	36 3/4" x 59 3/8"
3050	36" x 60"	36" x 4 13/16"	36 3/4" x 65 3/8"
3056	36" x 66"	36" x 4 13/16"	36 3/4" x 71 3/8"
3060	36" x 72"	36" x 4 13/16"	36 3/4" x 77 3/8"
3066	36" x 78"	36" x 4 13/16"	36 3/4" x 83 3/8"
3430	40" x 36"	40" x 5 3/8"	40 3/4" x 41 7/8"
3436	40" x 42"	40" x 5 3/8"	40 3/4" x 47 7/8"
3440	40" x 48"	40" x 5 3/8"	40 3/4" x 53 7/8"
3446	40" x 54"	40" x 5 3/8"	40 3/4" x 59 7/8"
3450	40" x 60"	40" x 5 3/8"	40 3/4" x 65 3/8"
3456	40" x 66"	40" x 5 3/8"	40 3/4" x 71 3/8"
3460	40" x 72"	40" x 5 3/8"	40 3/4" x 77 3/8"
3466	40" x 78"	40" x 5 3/8"	40 3/4" x 83 3/8"
3836	44" x 42"	44" x 5 7/8"	44 3/4" x 48 3/8"
3840	44" x 48"	44" x 5 7/8"	44 3/4" x 54 3/8"
3846	44" x 54"	44" x 5 7/8"	44 3/4" x 60 3/8"
3850	44" x 60"	44" x 5 7/8"	44 3/4" x 66 3/8"
3856	44" x 66"	44" x 5 7/8"	44 3/4" x 72 1/8"
3860	44" x 72"	44" x 5 7/8"	44 3/4" x 78 3/8"

*width x height to shoulder


BRIGHTON™ CASEMENT

Unit #	Actual Size	Rough Opening	Unit #	Actual Size	Rough Opening
1620	18" x 24"	18 3/4" x 24 1/2"	2460	28" x 72"	28 3/4" x 72 1/2"
1630	18" x 36"	18 3/4" x 36 1/2"	2620	30" x 24"	30 3/4" x 24 1/2"
1636	18" x 42"	18 3/4" x 42 1/2"	2630	30" x 36"	30 3/4" x 36 1/2"
1640	18" x 48"	18 3/4" x 48 1/2"	2636	30" x 42"	30 3/4" x 42 1/2"
1646	18" x 54"	18 3/4" x 54 1/2"	2640	30" x 48"	30 3/4" x 48 1/2"
1650	18" x 60"	18 3/4" x 60 1/2"	2646	30" x 54"	30 3/4" x 54 1/2"
1656	18" x 66"	18 3/4" x 66 1/2"	2650	30" x 60"	30 3/4" x 60 1/2"
1660	18" x 72"	18 3/4" x 72 1/2"	2656	30" x 66"	30 3/4" x 66 1/2"
2020	24" x 24"	24 3/4" x 24 1/2"	2660	30" x 72"	30 3/4" x 72 1/2"
2030	24" x 36"	24 3/4" x 36 1/2"	2820	32" x 24"	32 3/4" x 24 1/2"
2036	24" x 42"	24 3/4" x 42 1/2"	2830	32" x 36"	32 3/4" x 36 1/2"
2040	24" x 48"	24 3/4" x 48 1/2"	2836	32" x 42"	32 3/4" x 42 1/2"
2046	24" x 54"	24 3/4" x 54 1/2"	2840	32" x 48"	32 3/4" x 48 1/2"
2050	24" x 60"	24 3/4" x 60 1/2"	2846	32" x 54"	32 3/4" x 54 1/2"
2056	24" x 66"	24 3/4" x 66 1/2"	2850	32" x 60"	32 3/4" x 60 1/2"
2060	24" x 72"	24 3/4" x 72 1/2"	2856	32" x 66"	32 3/4" x 66 1/2"
2420	28" x 24"	28 3/4" x 24 1/2"	2860	32" x 72"	32 3/4" x 72 1/2"
2430	28" x 36"	28 3/4" x 36 1/2"	3036	36" x 42"	36 3/4" x 42 1/2"
2436	28" x 42"	28 3/4" x 42 1/2"	3040	36" x 48"	36 3/4" x 48 1/2"
2440	28" x 48"	28 3/4" x 48 1/2"	3046	36" x 54"	36 3/4" x 54 1/2"
2446	28" x 54"	28 3/4" x 54 1/2"	3050	36" x 60"	36 3/4" x 60 1/2"
2450	28" x 60"	28 3/4" x 60 1/2"	3056	36" x 66"	36 3/4" x 66 1/2"
2456	28" x 66"	28 3/4" x 66 1/2"	3060	36" x 72"	36 3/4" x 72 1/2"

▲ Meets egress minimum opening of 5.7 sq. ft., 20" minimum width and 24" minimum height.

▼ Meets egress minimum opening of 5.7 sq. ft. with egress hardware, 20" minimum width and 24" minimum height.

Egress hardware is not standard for windows meeting egress. It must be specifically requested.


BRIGHTON™ CASEMENT ARCH HEAD

Unit #	Actual Size*	Rough Size	Total Rough Opening
2640	30" x 48"	30" x 4"	30 1/2" x 52 1/2"
2646	30" x 54"	30" x 4"	30 1/2" x 58 1/2"
2650	30" x 60"	30" x 4"	30 1/2" x 64 1/2"
2656	30" x 66"	30" x 4"	30 1/2" x 70 1/2"
2660	30" x 72"	30" x 4"	30 1/2" x 76 1/2"
3040 (Twin)	36" x 48"	36" x 4 13/16"	36 1/2" x 53 5/16"
3046 (Twin)	36" x 54"	36" x 4 13/16"	36 1/2" x 59 5/16"
3050 (Twin)	36" x 60"	36" x 4 13/16"	36 1/2" x 65 5/16"
3056 (Twin)	36" x 66"	36" x 4 13/16"	36 1/2" x 71 5/16"
3060 (Twin)	36" x 72"	36" x 4 13/16"	36 1/2" x 77 5/16"
4040 (Twin)	48" x 48"	48" x 6 7/16"	48 1/2" x 54 15/16"
4046 (Twin)	48" x 54"	48" x 6 7/16"	48 1/2" x 60 15/16"
4050 (Twin)	48" x 60"	48" x 6 7/16"	48 1/2" x 66 15/16"
4056 (Twin)	48" x 66"	48" x 6 7/16"	48 1/2" x 72 15/16"
4060 (Twin)	48" x 72"	48" x 6 7/16"	48 1/2" x 78 15/16"
5040 (Twin)	60" x 48"	60" x 8"	72 1/2" x 56 1/2"
5046 (Twin)	60" x 54"	60" x 8"	72 1/2" x 62 1/2"
5050 (Twin)	60" x 60"	60" x 8"	72 1/2" x 68 1/2"
5056 (Twin)	60" x 66"	60" x 8"	72 1/2" x 74 1/2"
5060 (Twin)	60" x 72"	60" x 8"	72 1/2" x 80 1/2"
3846	44" x 54"	44" x 5 7/8"	44 3/4" x 60 3/8"
3850	44" x 60"	44" x 5 7/8"	44 3/4" x 66 3/8"
3856	44" x 66"	44" x 5 7/8"	44 3/4" x 72 1/8"
3860	44" x 72"	44" x 5 7/8"	44 3/4" x 78 3/8"

*width x height to shoulder


BRIGHTON™ AWNING

Unit #	Actual Size	Rough Opening	Unit #	Actual Size	Rough Opening
2016	24" x 18"	24 3/4" x 18 1/2"	3026	36" x 30"	36 3/4" x 30 1/2"
2020	24" x 24"	24 3/4" x 24 1/2"	3030	36" x 36"	36 3/4" x 36 1/2"
2026	24" x 30"	24 3/4" x 30 1/2"	3616	42" x 18"	42 3/4" x 18 1/2"
2030	24" x 36"	24 3/4" x 36 1/2"	3620	42" x 24"	42 3/4" x 24 1/2"
2616	30" x 18"	30 3/4" x 18 1/2"	3626	42" x 30"	42 3/4" x 30 1/2"
2620	30" x 24"	30 3/4" x 24 1/2"	3630	42" x 36"	42 3/4" x 36 1/2"
2626	30" x 30"	30 3/4" x 30 1/2"	4016	48" x 18"	48 3/4" x 18 1/2"
2630	30" x 36"	30 3/4" x 36 1/2"	4020	48" x 24"	48 3/4" x 24 1/2"
3016	36" x 18"	36 3/4" x 18 1/2"	4026	48" x 30"	48 3/4" x 30 1/2"
3020	36" x 24"	36 3/4" x 24 1/2"	4030	48" x 36"	48 3/4" x 36 1/2"

WINDOW AND DOOR SIZES



BRIGHTON™ CASEMENT
PICTURE WINDOW

Unit #	Actual Size	Rough Opening
1610	18" x 12"	18 3/4" x 12 1/2"
1612	18" x 14"	18 3/4" x 14 1/2"
1614	18" x 16"	18 3/4" x 16 1/2"
1616	18" x 18"	18 3/4" x 18 1/2"
1620	18" x 24"	18 3/4" x 24 1/2"
1626	18" x 30"	18 3/4" x 30 1/2"
1630	18" x 36"	18 3/4" x 36 1/2"
1636	18" x 42"	18 3/4" x 42 1/2"
1640	18" x 48"	18 3/4" x 48 1/2"
1646	18" x 54"	18 3/4" x 54 1/2"
1650	18" x 60"	18 3/4" x 60 1/2"
1656	18" x 66"	18 3/4" x 66 1/2"
1660	18" x 72"	18 3/4" x 72 1/2"
1666	18" x 78"	18 3/4" x 78 1/2"
2010	24" x 12"	24 3/4" x 12 1/2"
2012	24" x 14"	24 3/4" x 14 1/2"
2014	24" x 16"	24 3/4" x 16 1/2"
2016	24" x 18"	24 3/4" x 18 1/2"
2020	24" x 24"	24 3/4" x 24 1/2"
2026	24" x 30"	24 3/4" x 30 1/2"
2030	24" x 36"	24 3/4" x 36 1/2"
2036	24" x 42"	24 3/4" x 42 1/2"
2040	24" x 48"	24 3/4" x 48 1/2"
2046	24" x 54"	24 3/4" x 54 1/2"
2050	24" x 60"	24 3/4" x 60 1/2"
2056	24" x 66"	24 3/4" x 66 1/2"
2060	24" x 72"	24 3/4" x 72 1/2"
2066	24" x 78"	24 3/4" x 78 1/2"
2410	28" x 12"	28 3/4" x 12 1/2"
2412	28" x 14"	28 3/4" x 14 1/2"
2414	28" x 16"	28 3/4" x 16 1/2"
2416	28" x 18"	28 3/4" x 18 1/2"
2420	28" x 24"	28 3/4" x 24 1/2"
2426	28" x 30"	28 3/4" x 30 1/2"
2430	28" x 36"	28 3/4" x 36 1/2"
2436	28" x 42"	28 3/4" x 42 1/2"
2440	28" x 48"	28 3/4" x 48 1/2"
2446	28" x 54"	28 3/4" x 54 1/2"
2450	28" x 60"	28 3/4" x 60 1/2"
2456	28" x 66"	28 3/4" x 66 1/2"
2460	28" x 72"	28 3/4" x 72 1/2"
2466	28" x 78"	28 3/4" x 78 1/2"
2610	30" x 12"	30 3/4" x 12 1/2"
2612	30" x 14"	30 3/4" x 14 1/2"



Unit #	Actual Size	Rough Opening
2614	30" x 16"	30 3/4" x 16 1/2"
2616	30" x 18"	30 3/4" x 18 1/2"
2620	30" x 24"	30 3/4" x 24 1/2"
2626	30" x 30"	30 3/4" x 30 1/2"
2630	30" x 36"	30 3/4" x 36 1/2"
2636	30" x 42"	30 3/4" x 42 1/2"
2640	30" x 48"	30 3/4" x 48 1/2"
2646	30" x 54"	30 3/4" x 54 1/2"
2650	30" x 60"	30 3/4" x 60 1/2"
2656	30" x 66"	30 3/4" x 66 1/2"
2660	30" x 72"	30 3/4" x 72 1/2"
2666	30" x 78"	30 3/4" x 78 1/2"
2810	32" x 12"	32 3/4" x 12 1/2"
2812	32" x 14"	32 3/4" x 14 1/2"
2814	32" x 16"	32 3/4" x 16 1/2"
2816	32" x 18"	32 3/4" x 18 1/2"
2820	32" x 24"	32 3/4" x 24 1/2"
2826	32" x 30"	32 3/4" x 30 1/2"
2830	32" x 36"	32 3/4" x 36 1/2"
2836	32" x 42"	32 3/4" x 42 1/2"
2840	32" x 48"	32 3/4" x 48 1/2"
2846	32" x 54"	32 3/4" x 54 1/2"
2850	32" x 60"	32 3/4" x 60 1/2"
2856	32" x 66"	32 3/4" x 66 1/2"
2860	32" x 72"	32 3/4" x 72 1/2"
2866	32" x 78"	32 3/4" x 78 1/2"
3010	36" x 12"	36 3/4" x 12 1/2"
3012	36" x 14"	36 3/4" x 14 1/2"
3014	36" x 16"	36 3/4" x 16 1/2"
3016	36" x 18"	36 3/4" x 18 1/2"
3020	36" x 24"	36 3/4" x 24 1/2"
3026	36" x 30"	36 3/4" x 30 1/2"
3030	36" x 36"	36 3/4" x 36 1/2"
3036	36" x 42"	36 3/4" x 42 1/2"
3040	36" x 48"	36 3/4" x 48 1/2"
3046	36" x 54"	36 3/4" x 54 1/2"
3050	36" x 60"	36 3/4" x 60 1/2"
3056	36" x 66"	36 3/4" x 66 1/2"
3060	36" x 72"	36 3/4" x 72 1/2"
3066	36" x 78"	36 3/4" x 78 1/2"
3410	40" x 12"	40 3/4" x 12 1/2"
3412	40" x 14"	40 3/4" x 14 1/2"

Unit #	Actual Size	Rough Opening
3414	40" x 16"	40 3/4" x 16 1/2"
3416	40" x 18"	40 3/4" x 18 1/2"
3420	40" x 24"	40 3/4" x 24 1/2"
3426	40" x 30"	40 3/4" x 30 1/2"
3430	40" x 36"	40 3/4" x 36 1/2"
3436	40" x 42"	40 3/4" x 42 1/2"
3440	40" x 48"	40 3/4" x 48 1/2"
3446	40" x 54"	40 3/4" x 54 1/2"
3450	40" x 60"	40 3/4" x 60 1/2"
3456	40" x 66"	40 3/4" x 66 1/2"
3460	40" x 72"	40 3/4" x 72 1/2"
3466	40" x 78"	40 3/4" x 78 1/2"
3610	42" x 12"	42 3/4" x 12 1/2"
3612	42" x 14"	42 3/4" x 14 1/2"
3614	42" x 16"	42 3/4" x 16 1/2"
3616	42" x 18"	42 3/4" x 18 1/2"
3620	42" x 24"	42 3/4" x 24 1/2"
3626	42" x 30"	42 3/4" x 30 1/2"
3630	42" x 36"	42 3/4" x 36 1/2"
3636	42" x 42"	42 3/4" x 42 1/2"
3640	42" x 48"	42 3/4" x 48 1/2"
3646	42" x 54"	42 3/4" x 54 1/2"
3650	42" x 60"	42 3/4" x 60 1/2"
3656	42" x 66"	42 3/4" x 66 1/2"
3660	42" x 72"	42 3/4" x 72 1/2"
3666	42" x 78"	42 3/4" x 78 1/2"
3810	44" x 12"	44 3/4" x 12 1/2"
3812	44" x 14"	44 3/4" x 14 1/2"
3814	44" x 16"	44 3/4" x 16 1/2"
3816	44" x 18"	44 3/4" x 18 1/2"
3820	44" x 24"	44 3/4" x 24 1/2"
3826	44" x 30"	44 3/4" x 30 1/2"
3830	44" x 36"	44 3/4" x 36 1/2"
3836	44" x 42"	44 3/4" x 42 1/2"
3840	44" x 48"	44 3/4" x 48 1/2"
3846	44" x 54"	44 3/4" x 54 1/2"
3850	44" x 60"	44 3/4" x 60 1/2"
3856	44" x 66"	44 3/4" x 66 1/2"
3860	44" x 72"	44 3/4" x 72 1/2"
3866	44" x 78"	44 3/4" x 78 1/2"
4010	48" x 12"	48 3/4" x 12 1/2"
4012	48" x 14"	48 3/4" x 14 1/2"

Unit #	Actual Size	Rough Opening
4014	48" x 16"	48 3/4" x 16 1/2"
4016	48" x 18"	48 3/4" x 18 1/2"
4020	48" x 24"	48 3/4" x 24 1/2"
4026	48" x 30"	48 3/4" x 30 1/2"
4030	48" x 36"	48 3/4" x 36 1/2"
4036	48" x 42"	48 3/4" x 42 1/2"
4040	48" x 48"	48 3/4" x 48 1/2"
4046	48" x 54"	48 3/4" x 54 1/2"
4050	48" x 60"	48 3/4" x 60 1/2"
4056	48" x 66"	48 3/4" x 66 1/2"
4060	48" x 72"	48 3/4" x 72 1/2"
4066	48" x 78"	48 3/4" x 78 1/2"
5010	60" x 12"	60 3/4" x 12 1/2"
5012	60" x 14"	60 3/4" x 14 1/2"
5014	60" x 16"	60 3/4" x 16 1/2"
5016	60" x 18"	60 3/4" x 18 1/2"
5020	60" x 24"	60 3/4" x 24 1/2"
5026	60" x 30"	60 3/4" x 30 1/2"
5030	60" x 36"	60 3/4" x 36 1/2"
5036	60" x 42"	60 3/4" x 42 1/2"
5040	60" x 48"	60 3/4" x 48 1/2"
5046	60" x 54"	60 3/4" x 54 1/2"
5050	60" x 60"	60 3/4" x 60 1/2"
5056	60" x 66"	60 3/4" x 66 1/2"
5060	60" x 72"	60 3/4" x 72 1/2"
5066	60" x 78"	60 3/4" x 78 1/2"
6010	72" x 12"	72 3/4" x 12 1/2"
6012	72" x 14"	72 3/4" x 14 1/2"
6014	72" x 16"	72 3/4" x 16 1/2"
6016	72" x 18"	72 3/4" x 18 1/2"
6020	72" x 24"	72 3/4" x 24 1/2"
6026	72" x 30"	72 3/4" x 30 1/2"
6030	72" x 36"	72 3/4" x 36 1/2"
6036	72" x 42"	72 3/4" x 42 1/2"
6040	72" x 48"	72 3/4" x 48 1/2"
6046	72" x 54"	72 3/4" x 54 1/2"
6050	72" x 60"	72 3/4" x 60 1/2"
6056	72" x 66"	72 3/4" x 66 1/2"
6060	72" x 72"	72 3/4" x 72 1/2"
6066	72" x 78"	72 3/4" x 78 1/2"

WINDOW AND DOOR SIZES



BRIGHTON™ ARCH HEAD

Unit #	Actual Size*	Rough Opening	Projection
2006	24" x 6"	24" x 3 1/4"	24 3/4" x 9 3/4"
2010	24" x 12"	24" x 3 1/4"	24 3/4" x 15 3/4"
2016	24" x 18"	24" x 3 1/4"	24 3/4" x 21 3/4"
2020	24" x 24"	24" x 3 1/4"	24 3/4" x 27 3/4"
2030	24" x 36"	24" x 3 1/4"	24 3/4" x 39 3/4"
2036	24" x 42"	24" x 3 1/4"	24 3/4" x 45 3/4"
2040	24" x 48"	24" x 3 1/4"	24 3/4" x 51 3/4"
2046	24" x 54"	24" x 3 1/4"	24 3/4" x 57 3/4"
2050	24" x 60"	24" x 3 1/4"	24 3/4" x 63 3/4"
2060	24" x 72"	24" x 3 1/4"	24 3/4" x 75 3/4"
2406	28" x 6"	28" x 3 3/4"	28 3/4" x 10 1/4"
2410	28" x 12"	28" x 3 3/4"	28 3/4" x 16 1/4"
2416	28" x 18"	28" x 3 3/4"	28 3/4" x 22 1/4"
2420	28" x 24"	28" x 3 3/4"	28 3/4" x 28 1/4"
2430	28" x 36"	28" x 3 3/4"	28 3/4" x 40 1/4"
2436	28" x 42"	28" x 3 3/4"	28 3/4" x 46 1/4"
2440	28" x 48"	28" x 3 3/4"	28 3/4" x 52 1/4"
2446	28" x 54"	28" x 3 3/4"	28 3/4" x 58 1/4"
2450	28" x 60"	28" x 3 3/4"	28 3/4" x 64 1/4"
2460	28" x 72"	28" x 3 3/4"	28 3/4" x 76 1/4"
2606	30" x 6"	30" x 4"	30 3/4" x 10 1/2"
2610	30" x 12"	30" x 4"	30 3/4" x 16 1/2"
2616	30" x 18"	30" x 4"	30 3/4" x 22 1/2"
2620	30" x 24"	30" x 4"	30 3/4" x 28 1/2"
2630	30" x 36"	30" x 4"	30 3/4" x 40 1/2"
2636	30" x 42"	30" x 4"	30 3/4" x 46 1/2"
2640	30" x 48"	30" x 4"	30 3/4" x 52 1/2"
2646	30" x 54"	30" x 4"	30 3/4" x 58 1/2"
2650	30" x 60"	30" x 4"	30 3/4" x 64 1/2"
2660	30" x 72"	30" x 4"	30 3/4" x 76 1/2"
2806	32" x 6"	32" x 4 1/4"	32 3/4" x 10 3/4"
2810	32" x 12"	32" x 4 1/4"	32 3/4" x 16 3/4"
2816	32" x 18"	32" x 4 1/4"	32 3/4" x 22 3/4"
2820	32" x 24"	32" x 4 1/4"	32 3/4" x 28 3/4"
2830	32" x 36"	32" x 4 1/4"	32 3/4" x 40 3/4"
2836	32" x 42"	32" x 4 1/4"	32 3/4" x 46 3/4"
2840	32" x 48"	32" x 4 1/4"	32 3/4" x 52 3/4"
2846	32" x 54"	32" x 4 1/4"	32 3/4" x 58 3/4"
2850	32" x 60"	32" x 4 1/4"	32 3/4" x 64 3/4"
2860	32" x 72"	32" x 4 1/4"	32 3/4" x 76 3/4"
3006	36" x 6"	36" x 4 7/8"	36 3/4" x 11 3/8"

Unit #	Actual Size	Rough Opening	Projection
3010	36" x 12"	36" x 4 7/8"	36 3/4" x 17 3/8"
3016	36" x 18"	36" x 4 7/8"	36 3/4" x 23 3/8"
3020	36" x 24"	36" x 4 7/8"	36 3/4" x 29 3/8"
3030	36" x 36"	36" x 4 7/8"	36 3/4" x 41 3/8"
3036	36" x 42"	36" x 4 7/8"	36 3/4" x 47 3/8"
3040	36" x 48"	36" x 4 7/8"	36 3/4" x 53 3/8"
3046	36" x 54"	36" x 4 7/8"	36 3/4" x 59 3/8"
3050	36" x 60"	36" x 4 7/8"	36 3/4" x 65 3/8"
3060	36" x 72"	36" x 4 7/8"	36 3/4" x 77 3/8"
4006	48" x 6"	48" x 6 3/8"	48 3/4" x 12 7/8"
4010	48" x 12"	48" x 6 3/8"	48 3/4" x 18 7/8"
4016	48" x 18"	48" x 6 3/8"	48 3/4" x 24 7/8"
4020	48" x 24"	48" x 6 3/8"	48 3/4" x 30 7/8"
4030	48" x 36"	48" x 6 3/8"	48 3/4" x 42 7/8"
4036	48" x 42"	48" x 6 3/8"	48 3/4" x 48 7/8"
4040	48" x 48"	48" x 6 3/8"	48 3/4" x 54 7/8"
4046	48" x 54"	48" x 6 3/8"	48 3/4" x 60 7/8"
4050	48" x 60"	48" x 6 3/8"	48 3/4" x 66 7/8"
4060	48" x 72"	48" x 6 3/8"	48 3/4" x 78 7/8"
5006	60" x 6"	60" x 8 1/32"	60 3/4" x 14 5/8"
5010	60" x 12"	60" x 8 1/32"	60 3/4" x 20 5/8"
5016	60" x 18"	60" x 8 1/32"	60 3/4" x 26 5/8"
5020	60" x 24"	60" x 8 1/32"	60 3/4" x 32 5/8"
5030	60" x 36"	60" x 8 1/32"	60 3/4" x 44 5/8"
5036	60" x 42"	60" x 8 1/32"	60 3/4" x 50 5/8"
5040	60" x 48"	60" x 8 1/32"	60 3/4" x 56 5/8"
5046	60" x 54"	60" x 8 1/32"	60 3/4" x 62 5/8"
5050	60" x 60"	60" x 8 1/32"	60 3/4" x 68 5/8"
5060	60" x 72"	60" x 8 1/32"	60 3/4" x 80 5/8"
6006	72" x 6"	72" x 9 5/8"	72 3/4" x 16 1/8"
6010	72" x 12"	72" x 9 5/8"	72 3/4" x 22 1/8"
6016	72" x 18"	72" x 9 5/8"	72 3/4" x 28 1/8"
6020	72" x 24"	72" x 9 5/8"	72 3/4" x 34 1/8"
6030	72" x 36"	72" x 9 5/8"	72 3/4" x 46 1/8"
6036	72" x 42"	72" x 9 5/8"	72 3/4" x 52 1/8"
6040	72" x 48"	72" x 9 5/8"	72 3/4" x 58 1/8"
6046	72" x 54"	72" x 9 5/8"	72 3/4" x 64 1/8"
6050	72" x 60"	72" x 9 5/8"	72 3/4" x 70 1/8"
6060	72" x 72"	72" x 9 5/8"	72 3/4" x 82 1/8"

*width x height to shoulder


BRIGHTON™ CASEMENT BAY & BOW UNITS

Unit #	Actual Size	Rough Opening	Projection
30 Degree Bay Units PW = Picture Window			
30-PW3030-16	73 1/2" x 39 1/4"	74" x 39 1/2"	9 1/4"
30-PW3040-16	73 1/2" x 51 1/4"	74" x 51 1/2"	9 1/4"
30-PW3050-16	73 1/2" x 63 1/4"	74" x 63 1/2"	9 1/4"
30-PW4030-16	85 1/2" x 39 1/4"	86" x 39 1/2"	9 1/4"
30-PW4040-16	85 1/2" x 51 1/4"	86" x 51 1/2"	9 1/4"
30-PW4050-16	85 1/2" x 63 1/4"	86" x 63 1/2"	9 1/4"
30-PW5030-16	97 1/2" x 39 1/4"	98" x 39 1/2"	9 1/4"
30-PW5040-16	97 1/2" x 51 1/4"	98" x 51 1/2"	9 1/4"
30-PW5050-16	97 1/2" x 63 1/4"	98" x 63 1/2"	9 1/4"
30-PW3030-20	83 3/4" x 39 1/4"	84 1/4" x 39 1/2"	12 1/4"
30-PW3040-20	83 3/4" x 51 1/4"	84 1/4" x 51 1/2"	12 1/4"
30-PW3050-20	83 3/4" x 63 1/4"	84 1/4" x 63 1/2"	12 1/4"
30-PW4030-20	95 3/4" x 39 1/4"	96 1/4" x 39 1/2"	12 1/4"
30-PW4040-20	95 3/4" x 51 1/4"	96 1/4" x 51 1/2"	12 1/4"
30-PW4050-20	95 3/4" x 63 1/4"	96 1/4" x 63 1/2"	12 1/4"
30-PW5030-20	107 3/4" x 39 1/4"	108 1/4" x 39 1/2"	12 1/4"
30-PW5040-20	107 3/4" x 51 1/4"	108 1/4" x 51 1/2"	12 1/4"
30-PW5050-20	107 3/4" x 63 1/4"	108 1/4" x 63 1/2"	12 1/4"

45 Degree Bay Units PW = Picture Window			
45-PW3030-16	70 1/4" x 39 1/4"	70 3/4" x 39 1/2"	14"
45-PW3040-16	70 1/4" x 51 1/4"	70 3/4" x 51 1/2"	14"
45-PW3050-16	70 1/4" x 63 1/4"	70 3/4" x 63 1/2"	14"
45-PW4030-16	82 1/4" x 39 1/4"	82 3/4" x 39 1/2"	14"
45-PW4040-16	82 1/4" x 51 1/4"	82 3/4" x 51 1/2"	14"
45-PW4050-16	82 1/4" x 63 1/4"	82 3/4" x 63 1/2"	14"
45-PW5030-16	94 1/4" x 39 1/4"	94 3/4" x 39 1/2"	14"
45-PW5040-16	94 1/4" x 51 1/4"	94 3/4" x 51 1/2"	14"
45-PW5050-16	94 1/4" x 63 1/4"	94 3/4" x 63 1/2"	14"
45-PW3030-20	79 1/4" x 39 1/4"	79 3/4" x 39 1/2"	18 1/4"
45-PW3040-20	79 1/4" x 51 1/4"	79 3/4" x 51 1/2"	18 1/4"
45-PW3050-20	79 1/4" x 63 1/4"	79 3/4" x 63 1/2"	18 1/4"
45-PW4030-20	90 3/4" x 39 1/4"	91 1/4" x 39 1/2"	18 1/4"
45-PW4040-20	90 3/4" x 51 1/4"	91 1/4" x 51 1/2"	18 1/4"
45-PW4050-20	90 3/4" x 63 1/4"	94 1/4" x 63 1/2"	18 1/4"
45-PW5030-20	102 3/4" x 39 1/4"	103 1/4" x 39 1/2"	18 1/4"
45-PW5040-20	102 3/4" x 51 1/4"	103 1/4" x 51 1/2"	18 1/4"
45-PW5050-20	102 3/4" x 63 1/4"	103 1/4" x 63 1/2"	18 1/4"

Unit #	Actual Size	Rough Opening	Projection
13 Degree Bay Units A = Active F = Fixed			
13-4-1640-AFFA	73 7/8" x 51 1/4"	74 3/8" x 51 1/2"	7 7/8"
13-4-1646-AFFA	73 7/8" x 57 1/4"	74 3/8" x 57 1/2"	7 7/8"
13-4-1650-AFFA	73 7/8" x 63 1/4"	74 3/8" x 63 1/2"	7 7/8"
13-4-2040-AFFA	97 1/8" x 51 1/4"	97 5/8" x 51 1/2"	10 1/2"
13-4-2046-AFFA	97 1/8" x 57 1/4"	97 5/8" x 57 1/2"	10 1/2"
13-4-2050-AFFA	97 1/8" x 63 1/4"	97 5/8" x 63 1/2"	10 1/2"
13-5-1640-AFFFA	90 7/8" x 51 1/4"	91 3/8" x 51 1/2"	12"
13-5-1646-AFFFA	90 7/8" x 57 1/4"	91 3/8" x 57 1/2"	12"
13-5-1650-AFFFA	90 7/8" x 63 1/4"	91 3/8" x 63 1/2"	12"
13-5-2040-AFFFA	119 3/8" x 51 1/4"	119 7/8" x 51 1/2"	16"
13-5-2046-AFFFA	119 3/8" x 57 1/4"	119 7/8" x 57 1/2"	16"
13-5-2050-AFFFA	119 3/8" x 63 1/4"	119 7/8" x 63 1/2"	16"


BRIGHTON™ GEOMETRICS

Unit #	Actual Size	Rough Opening	Unit #	Actual Size	Rough Opening
Half Rounds			Full Circles		
20	24" x 12"	24 1/2" x 12 1/2"	2626	30" x 30"	30 3/4" x 30 1/2"
24	28" x 14"	28 1/2" x 14 1/2"	3030	36" x 36"	36 3/4" x 36 1/2"
26	30" x 15"	30 1/2" x 15 1/2"	4040	48" x 48"	48 3/4" x 48 1/2"
28	32" x 16"	32 1/2" x 16 1/2"	Ovals		
30	36" x 18"	36 1/2" x 18 1/2"	2030	24" x 36"	24 3/4" x 36 1/2"
34	40" x 20"	40 1/2" x 20 1/2"	3046	36" x 54"	36 3/4" x 54 1/2"
36	42" x 21"	42 1/2" x 21 1/2"	Octagons		
38	44" x 22"	44 1/2" x 22 1/2"	2020	24" x 24"	24 3/4" x 24 1/2"
40	48" x 24"	48 1/2" x 24 1/2"	2626	30" x 30"	30 3/4" x 30 1/2"
48	56" x 28"	56 1/2" x 28 1/2"	3030	36" x 36"	36 3/4" x 36 1/2"
50	60" x 30"	60 1/2" x 30 1/2"	4040	48" x 48"	48 3/4" x 48 1/2"
54	64" x 32"	64 1/2" x 32 1/2"	Extended Octagons		
60	72" x 36"	72 1/2" x 36 1/2"	2020	24" x 24"	24 3/4" x 24 1/2"
68	80" x 40"	80 1/2" x 40 1/2"	2626	30" x 30"	30 3/4" x 30 1/2"
Quarter Rounds			3030	36" x 36"	36 3/4" x 36 1/2"
2020	24" x 24"	24 3/4" x 24 1/2"	4040	48" x 48"	48 3/4" x 48 1/2"
2626	30" x 30"	30 3/4" x 30 1/2"			
3030	36" x 36"	36 3/4" x 36 1/2"			
4040	48" x 48"	48 3/4" x 48 1/2"			

WINDOW AND DOOR SIZES



BRIGHTON™ IN-SWING PATIO DOOR

Unit #	Actual Size	Rough Opening
6' 8" Heights		
2668 (SP)	30 1/4" x 79 1/2"	31" x 80"
5068	60 1/16" x 79 1/2"	60 13/16" x 80"
2868 (SP)	32 1/4" x 79 1/2"	33" x 80"
5468	64 1/16" x 79 1/2"	64 13/16" x 80"
3068 (SP)	36 1/4" x 79 1/2"	37" x 80"
6068	72 1/16" x 79 1/2"	72 13/16" x 80"
3268 (SP)	37 3/4" x 79 1/2"	38 1/2" x 80"
6468	75 1/16" x 79 1/2"	75 13/16" x 80"
6'10" Heights		
26610 (SP)	30 1/4" x 82 3/8"	31" x 82 7/8"
50610	60 1/16" x 82 3/8"	60 13/16" x 82 7/8"
28610 (SP)	32 1/4" x 82 3/8"	33" x 82 7/8"
54610	64 1/16" x 82 3/8"	64 13/16" x 82 7/8"
30610 (SP)	36 1/4" x 82 3/8"	37" x 82 7/8"
60610	72 1/16" x 82 3/8"	72 13/16" x 82 7/8"
32610 (SP)	37 3/4" x 82 3/8"	38 1/2" x 82 7/8"
64610	75 1/16" x 82 3/8"	75 13/16" x 82 7/8"
8' Heights		
2680 (SP)	30 1/4" x 95 3/8"	31" x 95 7/8"
5080	60 1/16" x 95 3/8"	60 13/16" x 95 7/8"
2880 (SP)	32 1/4" x 95 3/8"	33" x 95 7/8"
5480	64 1/16" x 95 3/8"	64 13/16" x 95 7/8"
3080 (SP)	36 1/4" x 95 3/8"	37" x 95 7/8"
6080	72 1/16" x 95 3/8"	72 13/16" x 95 7/8"
3280 (SP)	37 3/4" x 95 3/8"	38 1/2" x 95 7/8"
6480	75 1/16" x 95 3/8"	75 13/16" x 95 7/8"
9' Heights		
2690 (SP)	30 1/4" x 107 3/8"	31" x 107 7/8"
5090	60 1/16" x 107 3/8"	60 13/16" x 107 7/8"
2890 (SP)	32 1/4" x 107 3/8"	33" x 107 7/8"
5490	64 1/16" x 107 3/8"	64 13/16" x 107 7/8"
3090 (SP)	36 1/4" x 107 3/8"	37" x 107 7/8"
6090	72 1/16" x 107 3/8"	72 13/16" x 107 7/8"
3290 (SP)	37 3/4" x 107 3/8"	38 1/2" x 107 7/8"
6490	75 1/16" x 107 3/8"	75 13/16" x 107 7/8"



BRIGHTON™ SIDELITES FOR IN-SWING PATIO DOOR

Unit #	Actual Size	Rough Opening
6' 8" Heights		
2668	30 1/4" x 79 1/2"	31" x 80"
2868	32 1/4" x 79 1/2"	33" x 80"
3068	36 1/4" x 79 1/2"	37" x 80"
3268	37 3/4" x 79 1/2"	38 1/2" x 80"
6'10" Heights		
26610	30 1/4" x 82 3/8"	31" x 82 7/8"
28610	32 1/4" x 82 3/8"	33" x 82 7/8"
30610	36 1/4" x 82 3/8"	37" x 82 7/8"
32610	37 3/4" x 82 3/8"	38 1/2" x 82 7/8"
8' Heights		
2680	30 1/4" x 95 3/8"	31" x 95 7/8"
2880	32 1/4" x 95 3/8"	33" x 95 7/8"
3080	36 1/4" x 95 3/8"	37" x 95 7/8"
3280	37 3/4" x 95 3/8"	38 1/2" x 95 7/8"
9' Heights		
2690	30 1/4" x 107 3/8"	31" x 107 7/8"
2890	32 1/4" x 107 3/8"	33" x 107 7/8"
3090	36 1/4" x 107 3/8"	37" x 107 7/8"
3290	37 3/4" x 107 3/8"	38 1/2" x 107 7/8"


BRIGHTON™ OUT-SWING PATIO DOOR

Unit #	Actual Size	Rough Opening
6'8" Heights		
2668 (SP)	30 1/4" x 79"	31" x 79 1/2"
5068	60 1/16" x 79"	60 13/16" x 79 1/2"
2868 (SP)	32 1/4" x 79"	33" x 79 1/2"
5468	64 1/16" x 79"	64 13/16" x 79 1/2"
3068 (SP)	36 1/4" x 79"	37" x 79 1/2"
6068	72 1/16" x 79"	72 13/16" x 79 1/2"
3268 (SP)	37 3/4" x 79"	38 1/2" x 79 1/2"
6468	75 1/16" x 79"	75 13/16" x 79 1/2"

6'10" Heights

26610 (SP)	30 1/4" x 81 7/8"	31" x 82 3/8"
50610	60 1/16" x 81 7/8"	60 13/16" x 82 3/8"
28610 (SP)	32 1/4" x 81 7/8"	33" x 82 3/8"
54610	64 1/16" x 81 7/8"	64 13/16" x 82 3/8"
30610 (SP)	36 1/4" x 81 7/8"	37" x 82 3/8"
60610	72 1/16" x 81 7/8"	72 13/16" x 82 3/8"
32610 (SP)	37 3/4" x 81 7/8"	38 1/2" x 82 3/8"
64610	75 1/16" x 81 7/8"	75 13/16" x 82 3/8"

8' Heights

2680 (SP)	30 1/4" x 94 7/8"	31" x 95 3/8"
5080	60 1/16" x 94 7/8"	60 13/16" x 95 3/8"
2880 (SP)	32 1/4" x 94 7/8"	33" x 95 3/8"
5480	64 1/16" x 94 7/8"	64 13/16" x 95 3/8"
3080 (SP)	36 1/4" x 94 7/8"	37" x 95 3/8"
6080	72 1/16" x 94 7/8"	72 13/16" x 95 3/8"
3280 (SP)	37 3/4" x 94 7/8"	38 1/2" x 95 3/8"
6480	75 1/16" x 94 7/8"	75 13/16" x 95 3/8"

9' Heights

2690 (SP)	30 1/4" x 106 7/8"	31" x 107 3/8"
5090	60 1/16" x 106 7/8"	60 13/16" x 107 3/8"
2890 (SP)	32 1/4" x 106 7/8"	33" x 107 3/8"
5490	64 1/16" x 106 7/8"	64 13/16" x 107 3/8"
3090 (SP)	36 1/4" x 106 7/8"	37" x 107 3/8"
6090	72 1/16" x 106 7/8"	72 13/16" x 107 3/8"
3290 (SP)	37 3/4" x 106 7/8"	38 1/2" x 107 3/8"
6490	75 1/16" x 106 7/8"	75 13/16" x 107 3/8"


**BRIGHTON™ SIDELITES
FOR OUT-SWING PATIO DOOR**

Unit #	Actual Size	Rough Opening
6'8" Heights		
2668	30 1/4" x 79"	31" x 79 1/2"
2868	32 1/4" x 79"	33" x 79 1/2"
3068	36 1/4" x 79"	37" x 79 1/2"
3268	37 3/4" x 79"	38 1/2" x 79 1/2"

6'10" Heights

26610	30 1/4" x 81 7/8"	31" x 82 3/8"
28610	32 1/4" x 81 7/8"	33" x 82 3/8"
30610	36 1/4" x 81 7/8"	37" x 82 3/8"
32610	37 3/4" x 81 7/8"	38 1/2" x 82 3/8"

8' Heights

2680	30 1/4" x 94 7/8"	31" x 95 3/8"
2880	32 1/4" x 94 7/8"	33" x 95 3/8"
3080	36 1/4" x 94 7/8"	37" x 95 3/8"
3280	37 3/4" x 94 7/8"	38 1/2" x 95 3/8"

9' Heights


2690	30 1/4" x 106 7/8"	31" x 107 3/8"
2890	32 1/4" x 106 7/8"	33" x 107 3/8"
3090	36 1/4" x 106 7/8"	37" x 107 3/8"
3290	37 3/4" x 106 7/8"	38 1/2" x 107 3/8"

WINDOW AND DOOR SIZES



BRIGHTON™ SLIDING PATIO DOOR

Unit #	Actual Size	Rough Opening
6'8" Heights		
5068 (2-panel)	59" x 79 ½"	59 ¾" x 80"
6068 (2-panel)	71" x 79 ½"	71 ¾" x 80"
8068 (2-panel)	95" x 79 ½"	95 ¾" x 80"
7668 (3-panel)	91" x 79 ½"	91 ¾" x 80"
9068 (3-panel)	109" x 79 ½"	109 ¾" x 80"
12068 (3-panel)	145" x 79 ½"	145 ¾" x 80"
10068 (4-panel)	115 13/16" x 79 ½"	116 9/16" x 80"
12068 (4-panel)	139 13/16" x 79 ½"	140 9/16" x 80"
16068 (4-panel)	187 13/16" x 79 ½"	188 9/16" x 80"
6'10" Heights		
50610 (2-panel)	59" x 82 ½"	59 ¾" x 83"
60610 (2-panel)	71" x 82 ½"	71 ¾" x 83"
80610 (2-panel)	95" x 82 ½"	95 ¾" x 83"
76610 (3-panel)	91" x 82 ½"	91 ¾" x 83"
90610 (3-panel)	109" x 82 ½"	109 ¾" x 83"
120610 (3-panel)	145" x 82 ½"	145 ¾" x 83"
10068 (4-panel)	115 13/16" x 82 ½"	116 9/16" x 83"
120610 (4-panel)	139 13/16" x 82 ½"	140 9/16" x 83"
160610 (4-panel)	187 13/16" x 82 ½"	188 9/16" x 83"
8' Heights		
5080 (2-panel)	59" x 95 ½"	59 ¾" x 96"
6080 (2-panel)	71" x 95 ½"	71 ¾" x 96"
8080 (2-panel)	95" x 95 ½"	95 ¾" x 96"
7680 (3-panel)	91" x 95 ½"	91 ¾" x 96"
9080 (3-panel)	109" x 95 ½"	109 ¾" x 96"
12080 (3-panel)	145" x 95 ½"	145 ¾" x 96"
10080 (4-panel)	115 13/16" x 95 ½"	116 9/16" x 96"
12080 (4-panel)	139 13/16" x 95 ½"	140 9/16" x 96"
16080 (4-panel)	187 13/16" x 95 ½"	188 9/16" x 96"
9' Heights		
5090 (2-panel)	59" x 107 ½"	59 ¾" x 108"
6090 (2-panel)	71" x 107 ½"	71 ¾" x 108"



BRIGHTON™ SIDELITES FOR SLIDING PATIO DOOR

Unit #	Actual Size	Rough Opening
6'8" Heights		
2668	32" x 79 ½"	32 ¾" x 80"
3068	38" x 79 ½"	38 ¾" x 80"
4068	50" x 79 ½"	50 ¾" x 80"
6'10" Heights		
26610	32" x 82 ¾"	32 ¾" x 82 7/8"
30610	38" x 82 ¾"	38 ¾" x 82 7/8"
40610	50" x 82 ¾"	50 ¾" x 82 7/8"
8' Heights		
2680	32" x 95 ¾"	32 ¾" x 95 7/8"
3080	38" x 95 ¾"	38 ¾" x 95 7/8"
4080	50" x 95 ¾"	50 ¾" x 95 7/8"
9' Heights		
2690	32" x 107 ½"	32 ¾" x 108"
3090	38" x 107 ½"	38 ¾" x 108"


**PRO PERFORMANCE SERIES
IN-SWING PATIO DOOR**

Unit #	Actual Size	Rough Opening
6'8" Heights SP = SINGLE PANEL TF = TRUE FRENCH		
PP2768 (SP)	30 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	31 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP2968 (SP)	32 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	33 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP3168 (SP)	36 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	37 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP4068 (TF)	48 $\frac{13}{16}$ " x 79 $\frac{9}{16}$ "	49 $\frac{5}{16}$ " x 80 $\frac{1}{16}$ "
PP5068 (TF)	59 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	60 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP5068	59 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	60 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP5468 (TF)	63 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	64 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP5468	63 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	64 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP6068 (TF)	71 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	72 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP6068	71 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	72 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "

6' 11" Heights SP = SINGLE PANEL TF = TRUE FRENCH		
PP27611 (SP)	30 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	31 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP29611 (SP)	32 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	33 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP31611 (SP)	36 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	37 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP40611 (TF)	48 $\frac{13}{16}$ " x 82 $\frac{7}{16}$ "	49 $\frac{5}{16}$ " x 82 $\frac{15}{16}$ "
PP50611 (TF)	59 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	60 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP50611	59 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	60 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP54611 (TF)	63 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	64 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP54611	63 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	64 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP60611 (TF)	71 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	72 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP60611	71 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	72 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "


PRO PERFORMANCE SERIES SIDELITES

Unit #	Actual Size	Rough Opening
6' 8" Heights		
PP1268	14 $\frac{3}{16}$ " x 79 $\frac{9}{16}$ "	14 $\frac{11}{16}$ " x 80 $\frac{1}{16}$ "
PP1368	15 $\frac{7}{16}$ " x 79 $\frac{9}{16}$ "	15 $\frac{15}{16}$ " x 80 $\frac{1}{16}$ "
PP1568	16 $\frac{15}{16}$ " x 79 $\frac{9}{16}$ "	17 $\frac{7}{16}$ " x 80 $\frac{1}{16}$ "
PP2768	30 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	31 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP2968	32 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	33 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
PP3168	36 $\frac{9}{16}$ " x 79 $\frac{9}{16}$ "	37 $\frac{1}{16}$ " x 80 $\frac{1}{16}$ "
6' 11" Heights		
PP12611	14 $\frac{3}{16}$ " x 82 $\frac{7}{16}$ "	14 $\frac{11}{16}$ " x 82 $\frac{15}{16}$ "
PP13611	15 $\frac{7}{16}$ " x 82 $\frac{7}{16}$ "	15 $\frac{15}{16}$ " x 82 $\frac{15}{16}$ "
PP15611	16 $\frac{15}{16}$ " x 82 $\frac{7}{16}$ "	17 $\frac{7}{16}$ " x 82 $\frac{15}{16}$ "
PP27611	30 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	31 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP29611	32 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	33 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "
PP31611	36 $\frac{9}{16}$ " x 82 $\frac{7}{16}$ "	37 $\frac{1}{16}$ " x 82 $\frac{15}{16}$ "





WHAT'S NEXT

**See your local authorized dealer
for more information.**

(5-12)



QUALITY

Brighton's unlimited choices, quality construction and personalized service will change the way you view windows and doors forever.

To learn more about the finer points of Brighton™ wood windows and doors, or to find the name of an authorized Quaker Windows and Doors dealer near you, check our web site at www.quakerwindows.com or call 800.347.0438.

FIND YOUR PLACE IN THE SUN

Ask your builder or local lumberyard about Brighton™ wood windows and doors. They can help you select the right design, size, and features that will enlighten your building design, maximize heating and cooling and ensure energy efficiency...at a price you can afford.



CHANGING THE WAY YOU VIEW WINDOWS & DOORS